★ 密 答 Air



NO.2119010488



S 检验 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

锂电池一符合包装说明970第11部分

样品名称:

Tempod SP温度记录仪(内置纽扣式锂电池CR2032 3.0V 225mAh)

Sample name:

Tempod SP Temperature Data Logger

委托单位:

上海腾森电子科技有限公司 TempSen Electronics Company

生产单位:

上海腾森电子科技有限公司 TempSen Electronics Company



上海化工院检测有阻公司

Shanghai Research Institute of Chemical Industry Testing Co., Ltd

★ 空运 By Air

★ 空 运 By Air

			货物运输余件金	Check Coods	Page 1/3	
		(Certification for Safe Transport of C	Chemical Goods	225mAh)	
羊品名		中文 Chinese	Tempod SP温度记录仪(内置组		ZZJiliMT/	
Samp		英文 English	Tempod SP Temperature Data Logger			
委托单位 Consignor			上海腾森电子科技有限公司 TempSen Electronics Company			
生产单位 Manufacturer			上海腾森电子科技有限公司 TempSen Electronics Company 国际航空运输协会《危险品规则》60版			
检验方法、程序 nspection method and procedure 样品外观 Sample appearance 包装件信息 Package information			TATA Dangerous Goods Regulations (bob) occur and TATA Dangerous Goods Regulations (bob) occur and Example 1985			
						序号
NO.	O. Battery type 不可充电锂金属电池芯 1 Primary Li-metal cell		CR2032	225mAh / ≤0.3g	安装在设备内 Contained in equipment	
鉴 定 结 论		危险性识别(Hazards identification) 理金属电池。 ithium metal battery. 2. 空运按照国际航空运输协会《危险品规则》办理的类项(Suggestion according to IATA DGR) 该物品满足包装说明970基本要求和第II部分的规定。 The goods meet the requirements in General Requirements and section II of Packaging Instruction 970. 3. 包装要求(Packaging requirements) 按包装说明970第II部分要求办理。 The goods are packaged according to the Packaging Instruction 970 section II.				
	_	检验日期 Inspection	H: 签发 Date: 2018-12-11		生效日期 : 2019-01-0 Effective Date: 2019-01-0 航空器系统产生干扰,不会发出干	
	备注 mmen	信号(如蜂鸣音 These devices meet defined	Date: 2018—12—11 Issue 生生危险的放热,在开启状态下符合相思,从光灯)。 are not capable of generating a catandards for electromagnetic radit aircraft systems. The devices mins, strobe lights.)	dangerous evolution of heat. "	tion of the device does not	

批准 Approver: 指小W

审核 Checker:

主检 Appraiser:



货物运输条件鉴定书


Certification for Safe Transport of Chemical Goods


1	本报告所述锂电池按照《危险品规则》(60版)[以下简称DGR] 3.9.2.6.1(e)规定的质量管理体系进行制造。 本报告所述锂电池不属于因安全原因召回的锂电池。 described in IATA DGR 60th 3.9.2.6.1(e). dithium cells and batteries listed in this report were manufactured under the quality management programme as described in IATA DGR 60th 3.9.2.6.1(e). dithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons. 本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.
	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.
3	设备装入由适当材料构造的坚固的刚性外包装内。 The equipment is packed in strong rigid outer packagings constructed of suitable material.
4	电池具有适当的防短路措施。设备固定在外包装内以免移动,并配备防止发生意外启动的有效手段。设备固定在外包装内以免移动,并配备防止发生意外启动的有效手段。Cells and batteries are properly protected to prevent short circuits. The equipment is secured against movement within the outer packaging and is equipped with an effective means of The equipment is secured against movement within the outer packaging and is equipped with an effective means of The equipment is secured against movement within the outer packaging and is equipped with an effective means of The
5	电池符合包装贴明970岁11日77 —Where a consignment includes packages bearing the lithium battery mark, the words —Where a consignment includes packages bearing the lithium battery mark, the words —Where a consignment includes packages bearing the lithium battery mark, the words compliance with Section II of PI 970" must be shown in the "Nature and Quantity of Goods" box of the air waybill, when an air waybill is used.
6	每个包装件必须耐久清晰的标识DGR图7.1.C所示标记。包装件必须具有足够的尺寸在其一个面上粘贴未被折叠的标记。 本要求不适用于: —包装件仅含有安装在设备(包括线路板)内的钮扣电池; 或——托运货物不超过2个包装件,且每个包装件中安装在设备内的电池芯不超过4颗或电池组不超过2颗。——托运货物不超过2个包装件,且每个包装件中安装在设备内的电池芯不超过4颗或电池组不超过2颗。——托运货物不超过2个包装件,且每个包装件中安装在设备内的电池芯不超过4颗或电池组不超过2颗。——打运货物不超过2个包装件,且每个包装件中安装在设备内的电池芯不超过4颗或电池组不超过2颗。——托运货物不超过2个包装件,且每个包装件中安装在设备内的电池芯不超过4颗或电池组不超过2颗。————————————————————————————————————
7	

明朝村城水

NO. 2119010488 Page 3/3

Certification for Safe Transport of Chemical Goods





报告结束

